



THAT WHICH IS BUILT SOUNDLY
ENDURES WELL



CEEN FITTINGS

- Conduit fittings comply with the relevant SABS requirements. This also includes flame and UV resistant material
- Installation is quick and easy with a minimum of tools required to complete the job.
- PVC Conduit fittings provide facility for a neat installation, whether surface or flush mounted.
- PVC Conduit fittings will not rust or corrode and are unaffected by water, most acids, oxidising agents and electrolyte action.

4 Way Round Box Side Entry

| Description | Box | Pack | Part Number |
|-------------|-----|------|-------------|
| 20mm | 100 | 20 | 9016 |
| 25mm | 100 | 20 | 9017 |



1 Way Round Box Side Entry

| Description | Box | Pack | Part Number |
|-------------|-----|------|-------------|
| 20mm | 200 | 20 | 9010 |
| 25mm | 200 | 20 | 9011 |



8 Hole Round Box Side and Back Entry

| Description | Box | Pack | Part Number |
|-------------|-----|------|-------------|
| 20mm | 300 | 20 | 9018 |



2 Way Round Box Side Entry

| Description | Box | Pack | Part Number |
|-------------|-----|------|-------------|
| 20mm | 200 | 20 | 9012 |
| 25mm | 200 | 20 | 9013 |



4 Hole Round Box Back Entry

| Description | Box | Pack | Part Number |
|-------------|-----|------|-------------|
| 20mm | 300 | 20 | 9019 |



3 Way Round Box Side Entry

| Description | Box | Pack | Part Number |
|-------------|-----|------|-------------|
| 20mm | 200 | 20 | 9014 |
| 25mm | 200 | 20 | 9015 |



2 Way Side Entry Angle Box

| Description | Box | Pack | Part Number |
|-------------|-----|------|-------------|
| 20mm | 200 | 20 | 9020 |
| 25mm | 200 | 20 | 9021 |





| "U" Conduit Box Side Entry | | | |
|----------------------------|-----|------|-------------|
| Description | Box | Pack | Part Number |
| 20mm | 200 | 20 | 9022 |
| 20mm Wide | 200 | 20 | 9028 |

| 3 Spout Loop-In Box | | | |
|---------------------|-----|------|-------------|
| Description | Box | Pack | Part Number |
| 20mm | 200 | 20 | 9026 |



| "Y" Conduit Box Side Entry | | | |
|----------------------------|-----|------|-------------|
| Description | Box | Pack | Part Number |
| 20mm | 200 | 20 | 9023 |

| 4 Spout Loop-In Box | | | |
|---------------------|-----|------|-------------|
| Description | Box | Pack | Part Number |
| 20mm | 200 | 20 | 9027 |



| 1 Spout Loop-In Box | | | |
|---------------------|-----|------|-------------|
| Description | Box | Pack | Part Number |
| 20mm | 200 | 20 | 9024 |

| Wall Boxes (L x W x D) | | | |
|----------------------------|-----|------|-------------|
| Description | Box | Pack | Part Number |
| 100 x 50 x 36mm | 150 | 10 | 9036 |
| 100 x 50 x 36mm with Spout | 150 | 10 | 9037 |
| 100 x 50 x 50mm | 150 | 10 | 9040 |
| 100 x 50 x 50mm with Spout | 150 | 10 | 9041 |



| 2 Spout Loop-In Box | | | |
|---------------------|-----|------|-------------|
| Description | Box | Pack | Part Number |
| 20mm | 200 | 20 | 9025 |

| Wall Boxes (L x W x D) | | | |
|-----------------------------|-----|------|-------------|
| Description | Box | Pack | Part Number |
| 100 x 100 x 36mm | 100 | 10 | 9038 |
| 100 x 100 x 36mm with Spout | 100 | 10 | 9039 |
| 100 x 100 x 50mm | 100 | 10 | 9042 |
| 100 x 100 x 50mm with Spout | 100 | 10 | 9043 |





| SAU Extension Box | | | |
|---------------------|-----|------|-------------|
| Description | Box | Pack | Part Number |
| SAU40 (100 x 100mm) | 70 | 10 | 9050 |
| SAU20 (100 x 50mm) | 100 | 10 | 9051 |

| Self Locating Lid | | |
|-------------------|------|-------------|
| Description | Pack | Part Number |
| 50mm Circular | 100 | 9072 |
| Gasket M1E EL/3 | 100 | 9541 |




| Extension Box (L x W x D) | | | |
|---------------------------------|-----|------|-------------|
| Description | Box | Pack | Part Number |
| 130 x 86 x 41mm | 100 | 10 | 9052 |
| 130 x 86 x 41mm with Knock Outs | 100 | 10 | 9053 |

| Oversize Lid | | | |
|--------------|-----|------|-------------|
| Description | Box | Pack | Part Number |
| 85mm | 500 | 50 | 9073 |
| 97mm | 500 | 100 | 9074 |



| Extension Box (L x W x D) | | | |
|----------------------------------|-----|------|-------------|
| Description | Box | Pack | Part Number |
| 130 x 130 x 41mm | 70 | 10 | 9054 |
| 130 x 130 x 41mm with Knock Outs | 70 | 10 | 9055 |

| Couplings | | | |
|-------------|------|------|-------------|
| Description | Box | Pack | Part Number |
| 20mm | 2000 | 50 | 9060 |
| 25mm | 1000 | 50 | 9061 |
| 32mm | 200 | 20 | 9062 |
| 40mm | 200 | 20 | 9063 |
| 50mm | 100 | 10 | 9064 |



| Dome Lid | | | |
|--------------------------|-----|------|-------------|
| Description | Box | Pack | Part Number |
| Lid Domed M20 Fem Thread | 600 | 100 | 9075 |



| Reducer | | | |
|-------------|-----|------|-------------|
| Description | Box | Pack | Part Number |
| 25mm - 20mm | | | 9059 |

| Flexible Strap Saddle | | | |
|-----------------------|------|------|-------------|
| Description | Box | Pack | Part Number |
| 20mm | 3000 | 100 | 9110 |
| 25mm | 2000 | 100 | 9111 |
| 32mm | 1000 | 100 | 9112 |
| 40mm | 500 | 50 | 9113 |
| 50mm | 400 | 50 | 9114 |



| Male Adaptor | | | |
|--------------|------|------|-------------|
| Description | Box | Pack | Part Number |
| 20mm | 2000 | 50 | 9080 |
| 25mm | 1000 | 50 | 9081 |
| 32mm | 400 | 20 | 9082 |
| 40mm | 200 | 20 | 9083 |
| 50mm | 100 | 10 | 9084 |

| Spacebar Saddle | | | |
|-----------------|------|------|-------------|
| Description | Box | Pack | Part Number |
| 20mm | 1000 | 100 | 9116 |
| 25mm | 1000 | 100 | 9118 |



| Female Adaptor | | | |
|----------------|------|------|-------------|
| Description | Box | Pack | Part Number |
| 20mm | 2000 | 50 | 9090 |

| Inspection Elbow | | | |
|------------------|-----|------|-------------|
| Description | Box | Pack | Part Number |
| 20mm | 200 | 20 | 9130 |



| Solid Bend | | | |
|-------------|-----|------|-------------|
| Description | Box | Pack | Part Number |
| 20mm | 200 | 20 | 9100 |
| 25mm | 100 | 10 | 9101 |

| Inspection Bend | | | |
|-----------------|-----|------|-------------|
| Description | Box | Pack | Part Number |
| 20mm | 200 | 20 | 9132 |





| Inspection Tee | | | |
|----------------|-----|------|-------------|
| Description | Box | Pack | Part Number |
| 20mm | 200 | 20 | 9131 |

| Weather Proof Box | | | |
|--------------------------|-----|------|-------------|
| Description | Box | Pack | Part Number |
| 102 x 102 x 45mm MAB 44A | 60 | | 9162 |
| 102 x 102 x 57mm MAB 44B | 50 | | 9163 |
| 102 x 102 x 77mm MAB 44C | 40 | | 9164 |



| Extension Ring | | | |
|----------------|-----|------|-------------|
| Description | Box | Pack | Part Number |
| 19mm | 200 | 50 | 9141 |
| 29mm | 200 | 50 | 9142 |
| 48mm | 200 | 20 | 9143 |

| Wall Box - Flush Mount | | | |
|-------------------------------|-----|------|-------------|
| Description | Box | Pack | Part Number |
| 75 x 75mm | 150 | 30 | 9170 |
| 150 x 75mm with 12 knock outs | 120 | 12 | 9171 |
| 150 x 100mm with 7 knock outs | | | 9172 |



| Surface Box and Lid | | | |
|-------------------------|-----|------|-------------|
| Description | Box | Pack | Part Number |
| 82 x 82 x 30mm | 100 | 20 | 9150 |
| 82 x 82 x 30mm Box Only | 200 | 20 | 9151 |
| 82 x 82 x 30mm Lid Only | 120 | 20 | 9070 |

| Splash Proof Box | | | |
|-------------------------|-----|------|-------------|
| Description | Box | Pack | Part Number |
| Splash Proof Box - IP44 | | | 9180 |



| Surface Box and Lid | | | |
|--------------------------|-----|------|-------------|
| Description | Box | Pack | Part Number |
| 142 x 82 x 30mm | 120 | 20 | 9152 |
| 142 x 82 x 30mm Box Only | 120 | 20 | 9153 |
| 142 x 82 x 30mm Lid Only | 120 | 20 | 9071 |

ELECTRICAL DRYWALL BOX

- Accommodates various thicknesses, min 7mm and max 25mm.
- Can be used for new or existing installations.
- Cost reduced solution compared to traditional trunking or cable management solutions.
- Made from non-conductive material with no sharp edges reducing the risks associated to earth leakage with metal back boxes and wire insulation integrity.
- The Crabtree Electrical DryWall box is made of engineering plastic which is self-extinguishing up to 650° C.
- The 'quick fix yellow lugs' allow for quick tool-free installation and firmly secure the box to the dry wall. Each box has multiple knockouts for standard electrical connectors and adapters.



| Electrical Drywall Box 50 x 100mm | |
|-----------------------------------|-------------|
| Description | Part Number |
| 50x100mm | 9044 |



| Electrical Drywall Box 100 x 100mm | |
|------------------------------------|-------------|
| Description | Part Number |
| 100x100mm | 9045 |



| Screws | | |
|-------------------------------------------|-----|-------------|
| Description | Box | Part Number |
| M5 x 20 Courte Sink Screw | 100 | 9510 |
| M x 430 Courte Sink Screw for Drywall Box | 100 | 9500 |

| PVC Binding Fluid | | |
|-------------------|-----|-------------|
| Description | Box | Part Number |
| 200ml | 20 | 9184 |



CONSTRUCTION

- Manufactured from white, high impact resistant PVC, which satisfy the requirements of the SABS 1084-2-1 Code of practice, ISO9002.
- Supplied complete with base and clip fastening lid which provides facility for inconspicuous wiring routes in domestic and commercial situations.
- Complete range of fittings available to make tile surface trunking system adaptable to any room configuration.
- Will not rust and is impervious to most mineral acids and alkalis.
- Compact trunking is self-coloured white and provides an excellent base if painting is required for decorative purposes.

INSTALLATION

- Trunking is designed for any surface installation.
- Installation is quick and easy by using wood screws on wooden surfaces or drilling into masonry and fixing with rawl plugs.
- Secure lip on lid fastening prevents unauthorised interface with electrical circuits - lid has to be peeled off base from end to end.
- Trunking standard lengths, YT/1 in 2 meters, all others in 3 meters. Available in white.

| Compact Mini Trunking | | |
|----------------------------------------------|--------|-------------|
| Description | Bundle | Part Number |
| 16 x 16mm x 2m (YT/1) | 40m | 9310 |
| 25 x 16mm x 3m (YT/2) | 60m | 9311 |
| 40 x 16mm x 3m (YT/3) | 30m | 9312 |
| 40 x 25mm x 3m (YT/4) | 30m | 9313 |
| 40 x 40mm x 3m (YT/5) | 30m | 9314 |
| 100 x 40mm x 3m (NBT/4) | 12m | 9308 |
| 3000m Divider (NBT/4) (to be used with 9308) | 60m | 9309 |



Cover Available to fit Diamond Ducting Modules(Yoke for Cover = 10001/100 - 3 x 25mm)



| Compact Mini Trunking Accessories | | |
|----------------------------------------|------|-------------|
| Description | Pack | Part Number |
| 16A SSO CP (NBT4) WH + Mounting Holes | 10 | 9345 |
| Socket Insertion for NBT/4 CSD/1 White | 10 | 9189 |
| Stop End NBT/4 | 10 | 9364 |



| Stop Ends for Compact Mini Trunking | | |
|-------------------------------------|------|-------------|
| Description | Pack | Part Number |
| 16 x 16mm (YEP/1) | 20 | 9400 |
| 25 x 16mm (YEP/2) | 20 | 9401 |
| 40 x 16mm (YEP/3) | 10 | 9402 |
| 40 x 25mm (YEP/4) | 10 | 9403 |
| 40 x 40mm (YEP/5) | 10 | 9404 |

CONSTRUCTION

- Extruded from flame retardant rigid PVC.
- Supplied as a unit comprising base and clip-on lid system requiring no screws or fasteners; lid cannot separate accidentally.
- Robust - protects cables and conductors against mechanical damage.
- Does not rust.
- Will not attract termites and rodents.
- Self coloured grey and white.

INSTALLATION

- Can be suspended or surface mounted.
- Lightweight (the weight of equivalent steel section) makes installation speedy and easy, which leads to advantage of saving time and money.

TRUNKING STANDARD LENGTH 3 METRES.

Cable Line Trunking

| Description | Bundle | Part Number |
|-------------------------------|--------|-------------|
| 50 x 50mm x 3m (CLT/1) Grey | 12m | 9300/605 |
| 75 x 50mm x 3m (CLT/2) Grey | 12m | 9301/605 |
| 75 x 75mm x 3m (CLT/3) Grey | 12m | 9302/605 |
| 100 x 50mm x 3m (CLT/4) Grey | 12m | 9303/605 |
| 100 x 75mm x 3m (CLT/5) Grey | 6m | 9304/605 |
| 100 x 100mm x 3m (CLT/6) Grey | 6m | 9305/605 |



Stop Ends for Cable Line Trunking Grey

| Description | Pack | Part Number |
|-------------|------|-------------|
| 50 x 50mm | 10 | 9480/605 |
| 75 x 50mm | 10 | 9481/605 |
| 75 x 75mm | 10 | 9482/605 |
| 100 x 50mm | 10 | 9483/605 |
| 100 x 75mm | 10 | 9484/605 |
| 100 x 100mm | 10 | 9485/605 |





| Cable Line Trunking White | | | |
|-------------------------------|--------|-------------|--|
| Description | Bundle | Part Number | |
| 50 x 50 x 3mm (CLT/1) White | 12m | 9300 | |
| 75 x 50 x 3mm (CLT/2) White | 12m | 9301 | |
| 75 x 75 x 3mm (CLT/3) White | 12m | 9302 | |
| 100 x 50 x 3mm (CLT/4) White | 12m | 9303 | |
| 100 x 75 x 3mm (CLT/5) White | 6m | 9304 | |
| 100 x 100 x 3mm (CLT/6) White | 6m | 9305 | |

| Glands | | |
|----------------------|------|-------------|
| Description | Pack | Part Number |
| M20 Gland 01 Seal BK | 100 | 9230/608 |
| M25 Gland 01 Seal BK | 100 | 9234/608 |



| Stop Ends for Cable Line Trunking White | | |
|-----------------------------------------|------|-------------|
| Description | Pack | Part Number |
| 50 x 50mm (TEP/1) | 10 | 9480 |
| 75 x 50mm (TEP/2) | 10 | 9481 |
| 75 x 75mm (TEP/3) | 10 | 9482 |
| 100 x 50mm (TEP/4) | 10 | 9483 |
| 75 x 100mm (TEP/5) | 10 | 9484 |
| 100 x 100mm (TEP/6) | 10 | 9485 |

| Grommets | | |
|----------------------------------------------------|------|-------------|
| Description | Pack | Part Number |
| Grommet 3/8X5/16X1/16 Black (0.95cmx0.79cmx0.42cm) | 100 | 9240/608 |
| Grommet 1/2X3/8X1/16 Black (1.27cmx0.95cmx0.16cm) | 100 | 9241/608 |
| Grommet 3/4X5/32X1/16 Black (1.91cmx0.40cmx0.16cm) | 100 | 9242/608 |
| Grommet 9/16X7/16X1/8 Black (1.43cmx1.11cmx0.32cm) | 100 | 9243/608 |
| Grommet 1/4X3/16X1/32 Black (0.64cmx0.48cmx0.07cm) | 100 | 9246/608 |



| Halfmoon Trunking - Grey | | | |
|----------------------------|---------------|----------|-------------|
| Description | Length Bundle | M/Bundle | Part Number |
| 25mm x 8mm x 2m Half-Moon | 10 | 20 | 9320 |
| 35mm x 10mm x 2m Half-Moon | 10 | 20 | 9321 |
| 50mm x 15mm x 2m Half-Moon | 10 | 20 | 9322 |
| 70mm x 20mm x 2m Half-Moon | 10 | 20 | 9323 |

| Grommets | | |
|-----------------------------------------------------|--------|-------------|
| Description | Colour | Part Number |
| Grommet 1X7/8X1/32 Black (2.54cmx2.23cmx0.08cm) | 100 | 9247/608 |
| Grommet 1/2X5/16X1/16 Black (1.27cmx0.80cmx0.16cm) | 100 | 9248/608 |
| Grommet 3/8X1/4X1/16 Black (0.95cmx0.64cmx0.16cm) | 100 | 9249/608 |
| Grommet 5/16X7/32X1/16 Black (0.79cmx0.56cmx0.16cm) | 100 | 9250/608 |
| Grommet 5/8X1/2X17/64 Black | 100 | 9251/608 |



| Halfmoon Trunking - White | | | |
|----------------------------|---------------|----------|-------------|
| Description | Length Bundle | M/Bundle | Part Number |
| 25mm x 8mm x 2m Half-Moon | 10 | 20 | 9320/605 |
| 35mm x 10mm x 2m Half-Moon | 10 | 20 | 9321/605 |
| 50mm x 15mm x 2m Half-Moon | 10 | 20 | 9322/605 |
| 70mm x 20mm x 2m Half-Moon | 10 | 20 | 9323/605 |

| Flexible Conduit | | | |
|---------------------|--------|----------|-------------|
| Description | Bundle | M/Bundle | Part Number |
| 20mm (MEDIUM GRADE) | 1 | 50m | PC2000 |
| 25mm (MEDIUM GRADE) | 1 | 50m | PC2500 |

